



---

# Glass Shower & Spider Fitting Series

---



- Fluid Shower Fitting is suitable for all types of commercial & residential areas in variant sizes.





Silent



Smartness



Long-Lasting

# 014F Series Glass Shower Fitting





## 014F31001 Fix Clip

### SPECIFICATION

- To hold the fix clip glass to wall
- Fit for Glass Thickness : 8 to 12mm
- Material : SS 304
- Glass must be toughened
- Weight Capacity : 45kg per pair
- Use gaskets to prevent glass damage
- Finish : SSS/PSS

Double action spring  
returns door from 25o  
in each direction



Glass Cut Out Top & Bottom





## 014F31002 Wall to glass (one way)

### SPECIFICATION

- Wall to glass hinge
- Fit for Glass Thickness : 8 to 12mm
- Material : SS 304
- Glass must be toughened
- Weight Capacity : 45kg per pair
- Use gaskets to prevent glass damage
- Finish : SSS/PSS

Double action spring  
returns door from 25°  
in each direction



Glass Cut Out Top & Bottom





## 014F31003 Wall to glass

### SPECIFICATION

- Wall to glass hinge
- Fit for Glass Thickness : 8 to 12mm
- Material : SS 304
- Glass must be toughened
- Weight Capacity : 45kg per pair
- Use gaskets to prevent glass damage
- Finish : SSS/PSS

Double action spring  
returns door from 25°  
in each direction



Glass Cut Out Top & Bottom







**014F31004 Wall to glass 135°**

**SPECIFICATION**

- For connecting a glass door with fixed glass 135°
- Fit for Glass Thickness : 8 to 12mm
- Material : SS 304
- Glass must be toughened
- Weight Capacity : 45kg per pair
- Use gaskets to prevent glass damage
- Finish : SSS/PSS



Double action spring returns door from 25° in each direction




Glass Cut Out Top & Bottom




**014F31005 Glass to glass 180°**

**SPECIFICATION**

- For connecting a glass door with fixed glass 180°
- Fit for Glass Thickness : 8 to 12mm
- Material : SS 304
- Glass must be toughened
- Weight Capacity : 45kg per pair
- Use gaskets to prevent glass damage
- Finish : SSS/PSS



Double action spring returns door from 25° in each direction




Glass Cut Out Top & Bottom




**014F31006 Glass to glass 90°**

**SPECIFICATION**

- For connecting a glass door with fixed glass 90°
- Fit for Glass Thickness : 8 to 12mm
- Material : SS 304
- Glass must be toughened
- Weight Capacity : 45kg per pair
- Use gaskets to prevent glass damage
- Finish : SSS/PSS



Double action spring returns door from 25° in each direction



Glass Cut Out Top & Bottom

# 014F Series Glass Shower Fitting






## 014F31007 Pass glass to glass

### SPECIFICATION

- For Three Way Glass Connection
- Fit for Glass Thickness : 8 to 12mm
- Material : SS 304
- Glass must be toughened
- Weight Capacity : 45kg per pair
- Use gaskets to prevent glass damage
- Finish : SSS/PSS

Double action spring  
returns door from 25°  
in each direction






### 014F31060 Bracket for Floor Mounting

#### SPECIFICATION


- Glass Connector : 08 - 12mm
- Material : SS 304
- Sheet Metal
- Quick and Easy Installation
- Finish : SSS/PSS



### 014F31061 Wall to Glass Bracket 90°

#### SPECIFICATION


- Glass Connector : 08 - 12mm
- Material : SS 304
- Sheet Metal
- Quick and Easy Installation
- Finish : SSS/PSS




### 014F31062 Glass to Glass Bracket 90°

#### SPECIFICATION

- Glass Connector : 08-12mm
- Material : SS 304
- Sheet Metal
- Quick and Easy Installation
- Finish : SSS/PSS




# 014F Series Glass Shower Fitting



## 014F31063 Glass to Glass Bracket 135°

### SPECIFICATION


- Glass Connector : 08 - 12mm
- Material : SS 304
- Sheet Metal
- Quick and Easy Installation
- Finish : SSS/PSS



## 014F31064 Glass to Glass Bracket 180°

### SPECIFICATION


- Glass Connector : 08 - 12mm
- Material : SS 304
- Sheet Metal
- Quick and Easy Installation
- Finish : SSS/PSS



## 014F31065 Wall to Glass Bracket 135°

### SPECIFICATION

- Glass Connector : 08 - 12mm
- Material : SS 304
- Sheet Metal
- Quick and Easy Installation
- Finish : SSS/PSS








# 014F Series Glass Shower Fitting





## 014F31066 Wall to Glass 180°

### SPECIFICATION

- Glass Connector : 08 - 12mm
- Material : SS 304
- Sheet Metal
- Quick and Easy Installation
- Finish : SSS/PSS





Glass Preparation



## 014F31067 Glass to Glass 3 Way Bracket

### SPECIFICATION


- Glass Connector : 08 - 12mm
- Material : SS 304
- Sheet Metal
- Quick and Easy Installation
- Finish : SSS/PSS





## 014F31082 Glass to Glass Bracket 90°


### SPECIFICATION

- Glass Connector : 08 - 12mm
- Material : SS 304
- Casting Material
- Quick and Easy Installation
- Finish : SSS/PSS



Glass Preparation







### 014F31083 Glass to Glass Bracket 135°

#### SPECIFICATION

- Glass Connector : 08 - 12mm
- Material : SS 304
- Casting Material
- Quick and Easy Installation
- Finish : SSS/PSS




Glass Preparation




### 014F31084 Glass to Glass Bracket 180°

#### SPECIFICATION

- Glass Connector : 08 - 12mm
- Material : SS 304
- Casting Material
- Quick and Easy Installation
- Finish : SSS/PSS




Glass Preparation




### 014F31085 Wall to Glass Bracket 90°

#### SPECIFICATION


- Glass Connector : 08 - 12mm
- Material : SS 304
- Casting Material
- Quick and Easy Installation
- Finish : SSS/PSS



Glass Preparation




# 014F Series Glass Shower Fitting



## 014F31086 Wall to Glass Bracket 135o

### SPECIFICATION


- Glass Connector : 08 - 12mm
- Material : SS 304
- Casting Material
- Quick and Easy Installation
- Finish : SSS/PSS



## 014F31087 Wall to Glass Bracket 180o

### SPECIFICATION


- Glass Connector : 08 - 12mm
- Material : SS 304
- Casting Material
- Quick and Easy Installation
- Finish : SSS/PSS





## 014F31088 Glass to Glass 3 Way Bracket

### SPECIFICATION

- Glass Connector : 08 - 12mm
- Material : SS 304
- Casting Material
- Quick and Easy Installation
- Finish : SSS/PSS








### 014F32101

### Glass to Glass Corner Connector




#### SPECIFICATION

- For 10-12mm Glass
- Size : 60, 82, 103mm
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

### 014F32102

### Wall to Glass Corner Connector




#### SPECIFICATION

- For 10-12mm Glass
- Size : 60, 82, 103mm
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

### 014F32103

### Wall to Glass Connector




#### SPECIFICATION

- For 10-12mm Glass
- Size : 75, 103mm
- Firm Grip with glass and track
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

# 014F Series Glass Shower Fitting

014F32104

3 Way Glass Connector




**SPECIFICATION**

- For 10-12mm Glass
- Size : 60, 82, 103mm
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

014F32105

Wall to Glass Fix Connector




**SPECIFICATION**

- For 10-12mm Glass
- Connector Track
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

014F32106

Glass to Glass Corner Connector




**SPECIFICATION**

- For 10-12mm Glass
- Double Guide to Hold Fixed and Moving Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

014F32107

Wall to Glass Connector




**SPECIFICATION**

- For 10-12mm Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

014F32108

90° Glass to Glass Connector



**SPECIFICATION**

- For 10-12mm Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

014F32109

Installation Tool



**SPECIFICATION**


- Tool for installing of glass hardware



**014F32131 To Hold the Pipe with Wall for Glass**

**SPECIFICATION**



- Perfect Radius for Pipe for 19mm Rod
- Material : Brass
- Finish : BN/CP



**014F32132 To Hold the Pipe with Glass**

**SPECIFICATION**


- Perfect Radius for Pipe for 19mm Rod
- Reinforcing Bar Support
- Blind Hole on One End
- For Terminating the Pipe
- Material : Brass
- Finish : BN/CP



**014F32133 To Support Reinforcing Pipe with Glass**

**SPECIFICATION**

- Perfect Radius for Pipe for 19mm Rod
- Reinforcing Bar Support
- Through Hole for the Pipe
- Material : Brass
- Finish : BN/CP







# 014F Series Glass Shower Fitting



## 014F32134 To Join the Pipe at any Angle

### SPECIFICATION



- Perfect Radius for Pipe for 19mm Rod
- Pipe Connector
- Adjustable at any angle
- Material : Brass
- Finish : BN/CP



## 014F32135 For Bathroom Partition

### SPECIFICATION



- Perfect Radius for Pipe for 19mm Rod
- Use Full for Bathroom Partition
- Material : Brass
- Finish : BN/CP



## 014F32136 Shower Rod

### SPECIFICATION

- 19mm Rod
- Use Full for Bathroom Partition
- Material : SS 304
- Finish : SSS / PSS






**014F32201**

**Square Sliding Shower (Set)**

**SPECIFICATION**


- One Fix One Slide
- Roller : 2 set
- Track to Glass Holder : 2pcs
- Stopper : 2pcs
- Handle : 1pcs
- Floor Guide : 1pcs
- Wall to Track Connector : 2pcs
- Material : SS 304
- Finish : SSS/PSS

**Sliding Door Roller**




**SPECIFICATION**

- Independent Needle Bearings
- Bottom glass fixing points adjustable
- Countersunk Head for better grip and look
- 8mm-10mm Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS



# 014F Series Glass Shower Fitting


## Track to Glass Holder



### SPECIFICATION

- Firm Grip with glass and track
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS


## Stopper



### SPECIFICATION

- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS


## Wall to Track Connector



### SPECIFICATION

- Connector Track
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS


## Floor Guide



### SPECIFICATION

- Double Guide to Hold Fixed and Moving Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS

## Glass Door Handle




### SPECIFICATION

- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS

## 014F32222

## Shower Sliding Track



### SPECIFICATION

- Standard length : 2 / 3 meter
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS






**014F32236**

**Square Sliding Shower (Set)**

**SPECIFICATION**

- Roller : 4 set
- Track to Glass Holder : 4pcs
- Stopper : 4pcs
- Handle : 2pcs
- Floor Guide : 2pcs
- Corner connector : 1pcs
- Wall to Track Connector : 4pcs
- Material : SS 304
- Finish : SSS/PSS


**Sliding Door Roller**



**SPECIFICATION**

- Independent Needle Bearings
- Countersunk Head for better grip and look
- 8mm-10mm Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS


**Track to Glass Holder**



**SPECIFICATION**

- Countersunk Head for better grip and look
- 8mm-10mm Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS

**Corner Connector**




**SPECIFICATION**

- Corner Connector for Two Tracks
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS

# 014F Series Glass Shower Fitting


## Stopper



### SPECIFICATION

- Stopper with Bumper
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS


## Floor Guide



### SPECIFICATION

- Double Guide to Hold Fixed and Moving Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS


## Wall to Track Connector



### SPECIFICATION

- Connector Track
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS

## Glass Door Handle




### SPECIFICATION

- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS

## 014F32222

## Shower Sliding Track




### SPECIFICATION

- Standard length : 2 and 3 meter
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS

## 014F32248

## Shower Sliding Track



### SPECIFICATION

- Standard length : 2 meter
- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS





**014F32264**

**Round Sliding Shower (Set)**

**SPECIFICATION**

- Roller : 2 set
- Track to Glass Holder : 2pcs
- Anti Jump Bolt : 2pcs
- Handle : 1pcs
- Floor Guide : 1pcs
- Wall to Track Connector : 2pcs
- Material : SS 304
- Finish : SSS

**Sliding Door Roller**




**SPECIFICATION**

- Independent Needle Bearings
- Bottom glass fixing points adjustable
- Countersunk Head for better grip and look
- 8mm-10mm Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

# 014F Series Glass Shower Fitting


## Track to Glass Holder



### SPECIFICATION

- Firm Grip with glass and track
- Trouble Free Operation
- Material : SS 304
- Finish : SSS


## Stopper



### SPECIFICATION

- Trouble Free Operation
- Material : SS 304
- Finish : SSS


## Wall to Track Connector



### SPECIFICATION

- Connector Track
- Trouble Free Operation
- Material : SS 304
- Finish : SSS



## Floor Guide



### SPECIFICATION

- Double Guide to Hold Fixed and Moving Glass
- Trouble Free Operation
- Material : SS 304
- Finish : SSS

## Glass Door Handle




### SPECIFICATION

- Trouble Free Operation
- Material : SS 304
- Finish : SSS/PSS

## 014F32276





## Sliding Shower Tube



### SPECIFICATION

- Standard length : 2 / 3 meter
- Trouble Free Operation
- Material : SS 304
- Finish : SSS






# 014F Series Glass Seals

014F19101

Magnetic Seal For 90° & 180° Connection




**SPECIFICATION**

- Material : PVC
- Finish : Transparent
- Glass Thickness : 8,10,12 mm
- Size : 2.2 Mtr.

014F19102

Magnetic Seal For 135° Connection




**SPECIFICATION**

- Material : PVC
- Finish : Transparent
- Glass Thickness : 8,10,12 mm
- Size : 2.2 Mtr.

014F19103

Central 180° Weather Seal





**SPECIFICATION**

- Material : PVC
- Finish : Transparent
- Glass Thickness : 8,10,12 mm
- Size : 2.2 Mtr.

014F19104

Wall Seal





**SPECIFICATION**

- Material : PVC
- Finish : Transparent
- Glass Thickness : 8,10,12 mm
- Size : 2.2 Mtr.

014F19105

Central Seal





**SPECIFICATION**

- Material : PVC
- Finish : Transparent
- Glass Thickness : 8,10,12 mm
- Size : 2.2 Mtr.

014F19106

Central Seal 180° Weather Seal (Soft)





**SPECIFICATION**

- Material : PVC
- Finish : Transparent
- Glass Thickness : 8,10,12 mm
- Size : 2.2 Mtr.

014F19107

Offset Lip Seal





**SPECIFICATION**

- Material : PVC
- Finish : Transparent
- Glass Thickness : 8,10,12 mm
- Size : 2.2 Mtr.

014F19108


Offset Lip Seal



**SPECIFICATION**

- Material : PVC
- Finish : Transparent
- Glass Thickness : 8,10,12 mm
- Size : 2.2 Mtr.



# 014F Series Glass Shower Fitting



**014F33101** Glass Door Handle to Move the Door

**SPECIFICATION**



- Glass Door Handle
- Material : SS 304
- Finish : SSS/PSS



**014F33102** Glass Door Handle to Move the Door

**SPECIFICATION**



- Glass Door Handle
- Material : SS 304
- Finish : SSS/PSS



**014F33103** Glass Door Handle to Move the Door

**SPECIFICATION**

- Glass Door Handle
- Material : SS 304
- Finish : SSS/PSS








**014F33104** Glass Door Handle to Move the Door

**SPECIFICATION**


- Glass Door Handle
- Material : SS 304
- Finish : SSS/PSS



**014F33105** Glass Door Handle to Move the Door

**SPECIFICATION**


- Glass Door Handle
- Material : SS 304
- Finish : SSS/PSS



**014F33118** Glass Door Knob

**SPECIFICATION**

- Knob Handle
- Material : SS 304
- Finish : SSS/PSS






# 014F Series Glass Shower Fitting

014F33119

Glass Door Knob

## SPECIFICATION

- Knob Handle
- Material : SS 304
- Finish : SSS/PSS









# 014F Series Glass Door Handle

## SPECIFICATION

- Glass Door Handle "H" Type
- Material : SS 304
- Door Thickness : 8mm to 12mm
- Finish : SSS

Product Name	Item Code (L/R)	Overall Length	C to C Hole Dist.	Handle Dia	Finish
Glass Door Handle	014F34311	325mm	240mm	25mm	SSS
Glass Door Handle	014F34312	457mm	300mm	25mm	SSS
Glass Door Handle	014F34313	457mm	300mm	32mm	SSS
Glass Door Handle	014F34314	600mm	450mm	25mm	SSS
Glass Door Handle	014F34315	900mm	700mm	32mm	SSS



Glass Preparation





**SPECIFICATION**

- Glass Door Handle "D" Type
- Material : SS 304
- Door Thickness : 10mm to 12mm
- Finish : SSS



Product Name	Item Code (L/R)	Overall Length	C to C Hole Dist.	Handle Dia	Finish
Glass Door Handle	014F34331	325mm	300mm	25mm	SSS
Glass Door Handle	014F34332	450mm	425mm	25mm	SSS
Glass Door Handle	014F34333	600mm	568mm	32mm	SSS





Glass Preparation

# 014F Series Glass Door Handle

## SPECIFICATION

- Glass Door Handle "H" Type with lock
- Material : SS 304
- Door Thickness : 10mm to 12mm
- Finish : SSS

Product Name	Item Code (L/R)	Overall Length	C to C Hole Dist.	Handle Dia	Finish
Glass Door Handle with Lock	014F34347	1500mm	1125mm	35mm	SSS




Glass Preparation

**SPECIFICATION**

- Glass Door Handle
- Material : SS 304
- Door Thickness : 8mm to 12mm
- Finish : SSS/PSS

Product Name	Product Code	Finish	Size			
			A	B	C	D
Shower Glass Door Handle	014F34357	SSS / PSS	150	450	62	19
Shower Glass Door Handle	014F34358	SSS / PSS	200	450	62	19





# 014F Series Glass Door Handle

## SPECIFICATION

- Square Glass Door Pull Handle
- Material : SS 304
- Glass Door Thickness : 10mm to 12mm
- Finish : SSS

Product Name	Item Code (L/R)	Overall Length (B)	C to C Hole Dist.(A)	Handle Dia (C)	Finish
Fluid Square Glass Door Pull Handle	014F98101	220mm	200mm	20mm	SSS
Fluid Square Glass Door Pull Handle	014F98102	270mm	250mm	20mm	SSS
Fluid Square Glass Door Pull Handle	014F98103	320mm	300mm	20mm	SSS
Fluid Square Glass Door Pull Handle	014F98104	370mm	350mm	20mm	SSS
Fluid Square Glass Door Pull Handle	014F98105	425mm	400mm	25mm	SSS
Fluid Square Glass Door Pull Handle	014F98106	475mm	450mm	25mm	SSS
Fluid Square Glass Door Pull Handle	014F98107	625mm	600mm	25mm	SSS
Fluid Square Glass Door Pull Handle	014F98108	925mm	900mm	25mm	SSS
Fluid Square Glass Door Pull Handle	014F98109	1225mm	1200mm	25mm	SSS






### SPECIFICATION

- Round Glass Door Pull Handle
- Material : SS 304
- Glass Door Thickness : 10mm to 12mm
- Finish : SSS

Product Name	Item Code (L/R)	Overall Length (B)	C to C Hole Dist.(A)	Handle Dia (C)	Finish
Fluid Round Glass Door Pull Handle	014F98117	222mm	200mm	22mm	SSS
Fluid Round Glass Door Pull Handle	014F98118	272mm	250mm	22mm	SSS
Fluid Round Glass Door Pull Handle	014F98119	322mm	300mm	22mm	SSS
Fluid Round Glass Door Pull Handle	014F98120	372mm	350mm	22mm	SSS
Fluid Round Glass Door Pull Handle	014F98121	425mm	400mm	25mm	SSS
Fluid Round Glass Door Pull Handle	014F98122	475mm	450mm	25mm	SSS
Fluid Round Glass Door Pull Handle	014F98123	625mm	600mm	25mm	SSS





# 014F Series Spider Fitting



## 014F35613 4 Way Spider Fin Type

### SPECIFICATION

- 4 Way Spider Fitting for Flush Glazing to suit 2 or 4 glass panel assembly with fin.
- Material : SS 316
- Finish : SSS






**014F35614 2 Way Spider Fin Type**

**SPECIFICATION**


- 2 Way Spider Fitting for Flush Glazing to suit 2 glass panel assembly with fin.
- Material : SS 316
- Finish : SSS



**014F35615 4 Way Spider**

**SPECIFICATION**


- 4 Way Spider Fitting for Flush Glazing to suit 2 or 4 glass panel assembly with fin.
- Material : SS 316
- Finish : SSS



**014F35616 3 Way Spider**

**SPECIFICATION**

- 3 Way Spider Fitting for Flush Glazing to suit 3 glass panel assembly with fin.
- Material : SS 316
- Finish : SSS




# 014F Series Spider Fitting



## 014F35617 2 Way Spider 90°

### SPECIFICATION


- 2 Way Spider Fitting for Flush Glazing to suit 2 glass panel assembly & installed at 90° without fin.
- Material : SS 316
- Finish : SSS



## 014F35618 2 Way Spider 180°

### SPECIFICATION


- 2 Way Spider Fitting for Flush Glazing to suit 2 glass panel assembly & installed at 180° without fin.
- Material : SS 316
- Finish : SSS



## 014F35619 1 Way Spider

### SPECIFICATION

- 1 Way Spider Fitting for Flush Glazing to suit Corner glass panel assembly & installed at 180°
- Material : SS 316
- Finish : SSS






**014F35620 2 Way Spider 90° Fin Type**

**SPECIFICATION**


- 2 Way Spider Fitting for Flush Glazing to One Glass Panel
- Assembly with Ceiling / Wall.
- Material : SS 316
- Finish : SSS



**014F35621 1 Way Spider Fin Type (Right)**

**SPECIFICATION**


- Wall to Glass One Way
- Material : SS 316
- Finish : SSS



**014F35622 1 Way Spider Fin Type (Left)**

**SPECIFICATION**

- Wall to Glass One Way
- Material : SS 316
- Finish : SSS






# 014F Series Spider Fitting



**014F35623 Wall to Glass Spider 90°**

**SPECIFICATION**


- Wall to Glass Middle One Way
- Material : SS 316
- Finish : SSS



**014F35624 4 Glass to Glass Spider 90°**

**SPECIFICATION**


- 4 Ways Glass Spider
- Material : SS 316
- Finish : SSS



**014F35626 Glass to Glass Spider 135°**

**SPECIFICATION**

- Wall to Glass 4 Way
- Material : SS 316
- Finish : SSS






**014F35627 4 Way Spider**

**SPECIFICATION**


- 4 Way Spider Fitting for Flush Glazing to suit 2 or 4 glass panel assembly with fin.
- Material : SS 316
- Finish : SSS



**014F35628 3 Way Spider**

**SPECIFICATION**


- 3 Way Spider Fitting for Flush Glazing to suit 3 glass panel assembly with fin.
- Material : SS 316
- Finish : SSS



**014F35629 2 Way Spider 90°**

**SPECIFICATION**

- 2 Way Spider Fitting for Flush Glazing to suit 2 glass panel assembly & installed at 90° without fin.
- Material : SS 316
- Finish : SSS




# 014F Series Spider Fitting



**014F35630 2 Way Spider 180°**

**SPECIFICATION**


- 2 Way Spider Fitting for Flush Glazing to suit 2 glass panel assembly & installed at 180° without fin.
- Material : SS 316
- Finish : SSS



**014F35631 1 Way Spider**

**SPECIFICATION**


- 1 Way Spider Fitting for Flush Glazing to suit Corner glass panel assembly & installed at 180°
- Material : SS 316
- Finish : SSS



**014F35632 Glass to Glass Spider 90°**

**SPECIFICATION**

- 4 Ways Glass Spider
- Material : SS 316
- Finish : SSS






**014F35633 Glass to Glass Spider 135°**

**SPECIFICATION**


- Wall to Glass 4 Way
- Material : SS 316
- Finish : SSS



**014F35634 Routel**

**SPECIFICATION**


- Stainless Steel Routel Fixed countersunk head.
- Glass Thickness : 12mm
- Material : SS 316
- Finish : SSS



**014F35635 Routel**

**SPECIFICATION**

- Stainless Steel Routel Fixed Flat Head.
- Glass Thickness : 10mm-16mm
- Material : SS 316
- Finish : SSS





# 014F Series Spider Fitting



## 014F35635-A Routil

### SPECIFICATION



- Stainless Steel Routil Fixed Flat Head.
- Glass Thickness : 10mm-16mm
- Material : SS 316
- Finish : SSS



## 014F35636 Routil

### SPECIFICATION



- Stainless Steel Articulated Routil Flat Head
- Glass Thickness : 10mm-16mm
- Material : SS 316
- Finish : SSS



## 014F35637 Routil

### SPECIFICATION

- Stainless Steel Articulated Routil Countersunk Head
- Glass Thickness : 10mm-16mm
- Material : SS 316
- Finish : SSS








**014F35638 Splice Plate**

**SPECIFICATION**

- Material : SS 316
- Size : 200mm
- Finish : SSS




Glass Hole Diameter = Ø22mm



**014F35639 Splice Plate**

**SPECIFICATION**

- Material : SS 316
- Size : 250mm
- Finish : SSS




Glass Hole Diameter = Ø22mm



**014F35640 Splice Plate**

**SPECIFICATION**

- Material : SS 316
- Size : 300mm
- Finish : SSS



Glass Hole Diameter = Ø22mm


# 014F Series Spider Fitting



## 014F35641 Splice Plate

### SPECIFICATION

- Material : SS 316
- Size : 350mm
- Finish : SSS




Glass Hole Diameter = Ø22mm




## 014F35642 Splice Plate

### SPECIFICATION

- Material : SS 316
- Size : 400mm
- Finish : SSS




Glass Hole Diameter = Ø22mm



## 014F35643 Fin Plate

### SPECIFICATION

- Material : SS 316
- Size : 200mm
- Finish : SSS



Ovalhole Size 15X40 mm




**014F35644**

**Fin Plate**

**SPECIFICATION**

- Material : SS 316
- Size : 250mm
- Finish : SSS



Ovalhole Size 15X40 mm




**014F35645**

**Fin Plate**

**SPECIFICATION**

- Material : SS 316
- Size : 300mm
- Finish : SSS



Ovalhole Size 15X40 mm




**014F35646**

**Fin Plate**

**SPECIFICATION**

- Material : SS 316
- Size : 350mm
- Finish : SSS



Ovalhole Size 15X40 mm


# 014F Series Canopy Fitting



## 014F35647 Fin Plate

### SPECIFICATION


- Material : SS 316
- Size : 400mm
- Finish : SSS



## 014F35648 Wall to Glass Canopy

### SPECIFICATION


- Glass Thickness : 10mm to 12mm
- Material : SS 304
- Finish : SSS



## 014F35649 Glass to Rod Canopy

### SPECIFICATION

- Glass Thickness : 10mm to 12mm
- Material : SS 304
- Finish : SSS






**014F35650 Rod to Wall Canopy**

**SPECIFICATION**


- Material : SS 304
- Finish : SSS



**014F35651 Wall to Glass Canopy**

**SPECIFICATION**


- Glass Thickness : 10mm to 12mm
- Material : SS 304
- Finish : SSS



**014F35652 Glass to Rod Canopy**

**SPECIFICATION**

- Glass Thickness : 10mm to 12mm
- Material : SS 304
- Finish : SSS






# 014F Series Canopy Fitting



## 014F35653 Wall to Rod Canopy

### SPECIFICATION


- Material : SS 304
- Finish : SSS



## 014F35654 Rod

### SPECIFICATION

- Material : SS 304
- Length : Meters
- Finish : SSS



## 014F35655 Rod

### SPECIFICATION

- Material : SS 304
- Length : Meters
- Finish : SSS

